



或 与


- |     |       |      |     |       |      |
|-----|-------|------|-----|-------|------|
|     | 9.6   | 140% | 20  | 69.8  | 22%  |
|     |       | 6.8  |     | 24.6% |      |
| 4.6 | 27.4% | 20   | 5.7 | 8%    |      |
|     |       | 21Q1 |     | 20.4  |      |
|     | 48%   |      | 4.0 | 252%  | 21Q1 |
|     | 31.5% |      |     |       |      |

- |             |            |        |       |          |  |
|-------------|------------|--------|-------|----------|--|
| <b>IGBT</b> | <b>SiC</b> |        |       |          |  |
|             | 20         | 44.8%  | 0.6   |          |  |
|             |            | MOSFET |       | 20       |  |
| 20          |            | IGBT   |       | 1        |  |
|             | 75%        |        |       |          |  |
|             |            |        | 1200V | 650V SiC |  |
|             |            | 6      | SiC   |          |  |

- |                |   |   |  |         |  |
|----------------|---|---|--|---------|--|
|                | 8 |   |  |         |  |
| 0.18μ m BCD G3 |   |   |  | 0.11μ m |  |
| 600V SOI       |   | 8 |  | 6       |  |
|                |   |   |  | 5G      |  |
| 8              |   |   |  |         |  |

- |    |       |       |      |      |      |       |
|----|-------|-------|------|------|------|-------|
|    | 21-23 |       | 1.07 | 1.36 | 1.70 | 21-22 |
| PE | 1.07  | 1.25  |      |      | 21   | 66    |
|    |       | 70.62 |      |      |      |       |

•



(%)

300



WIND

或

	21-23	1.07	1.36	1.70	21-22	1.07
1.25		21		66	PE	
70.62						





---

或

12

/

15%

5% 15%

-5% +5%

-5%

--

--

5%

-5% +5%

-5%

---

或

“ ” “ ”